

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDESID *	Organization Formal Name	•					
GM G29	0376	Tarpon Operating & Develo	Tarpon Operating & Development, LLC					
		Control of the control of	raret					
		En Ven Energy Ventures, LLC						
Reason f	or Submission "							
◯ Chan	ge operator legal name and address	A	dd structures		Change structure information			
O Delet	e structures	O A	dd limit set(s) for an existing permitted feature		O Delete limit set(s) from an existing permitted feature			
Add Structure	es							
Non-Sen	sitive Areas							
Lease Bl	lock 1							
Lease Ar	ea Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *					
Mississi	ppi Canyon	194	OCS-G 2638	X				
G	,							
Structu	re 1							

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A060	+ 28.79085 -	89.0564261	X
Water Depth (in feet)	Built after 07/17/2006?* No			<u></u>
Chem. Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (N	MD) Produced Water (PR)	Sanitary & Comedic WW. Deck	Stock Base Fluid Drill (SB)	── Well Fluids (WF)
Add Structu	· ·	Drainage (WW)		
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A002	+ 28.790903	89.056370	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated M	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluids and Cuttings (DF)	X Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	and the second s	Sanitary & Contestic WW, Deek Crainage (WW)	▼ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A006	+ 28.790879 -	89.0563614	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem. Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	Hydrate Control Fluid (HF)	■ Maintenance BMP (WM)
Misc Discharge (N		Sanitary & Domeralo WW, Deck Drainage (WW)	▼ Stock Base Fluid Drill (SB)	⋈ Well Fluids (WF)
Add Structu	ге			
Structure 4				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	well No. A014	+ 28.790815 -	89.056400	X
Water Depth (in feet)	Built after 07/17/2006?* No			
	c. Discharge (CT) Cooling Water Intake Stru	cture (CW)	★ Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		Saritary & Domestic WW, Deck Drainage (WW)	X Stock Base Fluid Drill (SB)	◯ Well Fluids (WF)
Add Structur	e			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A003	+ 28.791049 -	89.0561833	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated Mis	c. Discharge (CT) Cooling Water Intake Struc	cture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	——————————————————————————————————————	San tary & Usakeetle WVV, Dack Urainage (VVV)	Stock Base Fluid Drill (SB)	◯ Well Fluids (WF)
Add Structur	e			
Structure 6				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	_
MODU	Well No. A004	+ 28.790850	89.056463	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated Mis	c. Discharge (CT) Cooling Water Intake Stru	cture (CW) 🔀 Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	D) Produced Water (PR)	⊠ Sanitary & Domestic VVV. Deck Oralnage (VVV)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	е			
Structure 7				
M				

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
MODU	Well No. A012	+ 28.790804	<u>-</u>	89.056126	X
Water Depth (in feet)	Built after 07/17/2006?*				
1023	No				
Chem. Treated Mis	c. Discharge (CT) Cooling Water Intake Stru			Hydrate Control Fluid (HF)	
Misc Discharge (M	D) Produced Water (PR)	\boxtimes		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	е				
Structure 8					
Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
MODU	Well No. A010	+ 28.790863] [-	89.056348	X
Water Depth (in feet)	Built after 07/17/2006?*				
1023	No				
Chem . Treated Mis	c. Discharge (CT) Cooling Water Intake Stru			Hydrate Control Fluid (HF)	Maintenance BMP (WM)
▼ Misc Discharge (M	D) Produced Water (PR)	\boxtimes		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	е				
Structure 9					
Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
MODU	Well No. A016	+ 28.790886	J <u>[-</u>	89.0564205	X
Water Depth (in feet)	Built after 07/17/2006?* No				
Chem. Treated Mis	cc. Discharge (CT) Cooling Water Intake Stru	cture (CW) 🔀 Drilling Fluids and Cuttings	(DF)	Hydrate Control Fluid (HF)	■ Maintenance BMP (WM)
Misc Discharge (MD) Produced Water (PR)		Sanitary & Domestic WW, Do Drainage (WW)	100	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	е				
Structure 10					

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A028	+ 28.790869 -	89.0564420	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	Hydrate Control Fluid (HF)	■ Maintenance BMP (WM)
Misc Discharge (N	MD) Produced Water (PR)	Sanitary & Domestic WVV. Deck	Stock Base Fluid Drill (SB)	
Add Structu	· ·	Drainaga (WW)		
Structure 11				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	1
MODU	Well No. A034	+ 28.790872 -	89.056420	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem. Treated M	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		Sanitary & Domestic WW, Deck Oralisage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 12				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A038	+ 28.790845 -	89.056435	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		Sanitary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu	re			
Structure 13				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Welli No. A009	+ 28.791087 -	89.0562059	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
Misc Discharge (M	MD) Produced Water (PR)	Sanitary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu		u (dinaga (sviv)		
Structure 14				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A013	+ 28.791058 -	89.05617	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	Hydrate Control Fluid (HF)	Maintenance BM P (WM)
Misc Discharge (M		San Itary & Domestic WVr, Deck Drainage (VVV)	▼ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 15				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A008	+ 28.790884 -	89.056392	X
Water Depth (in feet)	Built after 07/17/2006?* No			***************************************
Chem. Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		Smiltary & Doracello WW, Deck Drainage (WW)	▼ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu	re			
Structure 16				
·				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A018	+ 28.790890	89.0563550	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated Mi	sc. Discharge (CT) Cooling Water Intake Stru	cture (CW)	Hydrate Control Fluid (HF)	
Misc Discharge (M	1D) Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	▼ Well Fluids (WF)
Add Structur	re			
Structure 17				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A024	+ 28.908581 -	89.056452	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated Mi	sc. Discharge (CT) Cooling Water Intake Stru	octure (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	▼ Maintenance BMP (WM)
Misc Discharge (M	and the second	(Xan Tary & Domestic WVV, Deck Drainage (VVV)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 18				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. 037	+ 28.79108	89.0561777	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem. Treated Mi	sc. Discharge (CT) Cooling Water Intake Stru	octure (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	▼ Maintenance BMP (WM)
Misc Discharge (M	D) Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	re			
Structure 19				

Type * MODU	Description Well No. A048	+	Latitude (in decimal degrees) *	-	Longitude (in decimal degrees) * 89.056428	X
Water Depth (in feet)	Built after 07/17/2006?* No					<u></u>
	Produced Water (PR)	cture (C\	N) Drilling Fluidsand Cuttin Santary & Dontestic WW Drainage (WW)		Hydrate Control Fluid (HF) Stock Base Fluid Drill (SB)	
Structure 20 Type * MODU Water Depth (in feet)	Description Well No. A050 Built after 07/17/2006?*	+	Latitude (in decimal degrees) * 28.790854	-	Longitude (in decimal degrees) *	
1023 Chem. Treated Mis Misc Discharge (MI	C. Discharge (CT) Cooling Water Intake Stru D) Produced Water (PR)	cture (C\	N) 🔀 Drilling Fluidsand Cuttin (文) Santary & Doraettic Wwy Drainage (WW)		Hydrate Control Fluid (HF) Stock Base Fluid Drill (SB)	
Add Lease Block ensitive Areas Add Lease Block						
cation information	Redacted		Form A			

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.